

**To:** "Robert Law" [rlaw@demaximis.com]; Willard Potter" [otto@demaximis.com]  
**Cc:** []  
**Bcc:** []  
**From:** CN=Eugenia Naranjo/OU=R2/O=USEPA/C=US  
**Sent:** Fri 11/30/2012 4:17:15 PM  
**Subject:** Fw: RE: next routine svCWCM event  
[Naranjo.Eugenia@epa.gov](mailto:Naranjo.Eugenia@epa.gov)

I did get a response from Carlie and I told her that I had already informed you of this.

-----Forwarded by Eugenia Naranjo/R2/USEPA/US on 11/30/2012 11:16AM -----

**To:** Eugenia Naranjo/R2/USEPA/US@EPA  
**From:** Carlie Thompson <carlie.thompson@tierra-inc.com>  
**Date:** 11/30/2012 08:24AM  
**Cc:** Clifford Firstenberg <Clifford.Firstenberg@tierra-inc.com>, Ray Basso/R2/USEPA/US@EPA  
**Subject:** RE: next routine svCWCM event

Eugenia,

Thank you for informing us of this requirement. I assume you have already notified CPG; if not please advise and I will inform Bill and Rob.

Thanks,

Carlie

**From:** Naranjo.Eugenia@epamail.epa.gov [mailto:Naranjo.Eugenia@epamail.epa.gov]  
**Sent:** Thursday, November 29, 2012 5:06 PM  
**To:** Carlie Thompson  
**Cc:** Clifford Firstenberg; Basso.Ray@epamail.epa.gov  
**Subject:** next routine svCWCM event

Carlie,

In light of the extreme tidal surge and current conditions associated with Hurricane Sandy, contaminated sediments may have been resuspended in the Passaic River and Newark Bay causing elevated contaminant concentrations.

Given this extreme condition, the Agency has determined it is appropriate to again include measurements for Dioxin and PCB concentrations in the water column consistent with the Small Volume Chemical Water Column QAPP during the next routine event.

Let me know if you have any questions.

eugenia

Eugenia Naranjo

United States Environmental Protection Agency  
290 Broadway  
New York, NY 10007-1866  
212-637-3467  
Naranjo.Eugenia@epa.gov